WEST Search History

Hide Items Restore Clear Cancel

DATE: Sunday, April 17, 2005

Hide?	Set Name	Query	Hit Count							
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ									
	L16	L15 and primitive	37							
	L15 _	L9 and ROSE	48							
	L14	L9 and ROSE tutorial	0							
	L13	L12 and L2	19							
	L12	L11 and menu	84							
	L11	L10 and program	145							
	L10	L9 and primitive	151							
	L9	L8 and (object model)	442							
	L8	L7 and class	5239							
	L7	L3	32018							
	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ									
	L6	L5	2							
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ									
	L5	L4 and menu	545							
	L4	L3 and (dialog near box)	727							
	L3	Case tool or Computer aid\$	32018							
DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ										
	L2	L1 or 715/526-529,762-773,808-810.ccls.	6855							
	L1	717/100-119,136-139.ccls.	3156							

END OF SEARCH HISTORY

Searching for dialog box and object model.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP

12 documents found. Order: number of citations.

An annotation tool for Web browsers and its applications to.. - Denoue, Vignollet (2000) (Correct) (15 citations) prompt the user to manually paste the text in a dialog box, checking it appears only once in the complete new Web annotation tool which uses the Document Object Model Level 2 and Dynamic HTML to deliver a system www.univ-savoie.fr/labos/syscom/Laurent.Denoue/riao2000.pdf

Towards a Systematic Building of Software.. - Bodart.. (1995) (Correct) (15 citations) logical window for AIO and a physical window, a dialog box or a panel for CIO. Every window is itself a describing different models (e.g.task model, object oriented entity/relationship model) 2,3] www.gant.ucl.ac.be/membres/jv/publi/DSV-IS95.ps

The Tycho User Interface System - Christopher Hylands Edward (1997) (Correct) (4 citations) For example, one of the key classes in the dialog box hierarchy is called Query: it contains a It is loosely based on the concepts of Object Modeling Technique (OMT) 14la model is a "looks inside" and monitors all activity with a model object (see section 4.1)this class inherits from ptolemy.eecs.berkeley.edu/publications/papers/97/tcltk-97/erl-9715.ps.gz

Reasoning About Object Clients and Distributed Object Interaction - Mikhajlova (1999) (Correct) (1 citation) For example, we can specify a font selection dialog box, where the user is offered the choice of or interacting objects. The ability to model object clients and reason about them in a formal polaris.lcc.uma.es/~av/ecoop99/ws/proxy.ps.gz

CCECE 2004- CCGEI 2004, Niagara Falls, May/mai 2004 - Ieee Automating The (Correct) section. The user can enter details into the dialog box, and then the tool will validate the text far, eberlein}enel.ucalgary.ca Abstract The Object Model Creation Process (OMCP) is considered a major www.enel.ucalgary.ca/People/far/pub/papers/2004/5659 Kalaivani.pdf

Unknown - Models Regression Utilities (Correct)

and if the tcttk package has been loaded, a dialog box is provided (by a call to pickFrom) for the same as the number of rows in the model frame, object\$model. The default choice is to include all cases in model The call used to construct the model object summarized sets The two sets of indices www.stat.math.ethz.ch/CRAN/src/contrib/../../doc/packages/relimp.pdf

The relimp Package - Firth (2002) (Correct)

and if the tcltk package has been loaded, a dialog box is provided (by a call to pickFrom) for the same as the number of rows in the model frame, object\$model. The default choice is to include all cases in model The call used to construct the model object summarized sets The two sets of indices mirrors.sunsite.dk/cran/src/contrib/../../doc/packages/relimp.pdf

Point Pattern Analysis in an ArcGIS Environment Jared Aldstadt and .. - State (Correct) form to receive user input, and an additional dialog box to query the user for an output field name. ArcObjects is built using Microsoft's Component Object Model (COM) and can be embedded and extended using www.dpi.inpe.br/gilberto/csiss/papers/aldstadt.pdf

Voicemail Visualisation from Prototype to Plug-in.. - Steve Loughran Nick (1996) (Correct) could then be dropped in to the ISV's existing dialog box design for viewing the messages. We would (the "container"via Microsoft's Component Object Model (COM)It must export a number of software iseran.com/Steve/voicemail_visualisation.pdf

For Use With... - Xlispstat Ver (Correct)

RXridge.LSP, ver.9206 Page 6 of 23 Next, a dialog box appears that allows you to select the response of 23 The latter tactic saves your regression-model object in the XLisp-Stat variable MYMODEL. This has advantage that you can send messages to your model object such as send my-model :RXridge-gp) send

www.math.montana.edu/stat/docs/rxridge.ps

A Brief Overview of the VIOLA Engine, and its Applications - Viola Is (Correct)
not require the hard coding of, for example, dialog boxes, to achieve the same functionality -many and Objects The basic motivation for an object model is to control complexity: to provide a ftp.ii.pw.edu.pl/pub/Software/viola/violaIntro.ps.gz

Interface Issues in Visual Shell Programming - Modugno (1995) (Correct) many utilities only output text strings in a dialog box. This text is neither selectable nor the interface. Although both the extended object model and the PBD specification technique are not www.cs.cmu.edu/afs/cs.cmu.edu/project/garnet/www/pbd-group/papers/voop.ps

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

CiteSeer Find: Dialog+box AND Object+model AN Documents Citations

Searching for dialog box and object model and primitive.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP Order: number of citations.

A Brief Overview of the VIOLA Engine, and its Applications - Viola Is (Correct)
not require the hard coding of, for example, dialog boxes, to achieve the same functionality -many
and Objects The basic motivation for an object model is to control complexity: to provide a
-many complex GUIs can be composed out of primitive elements, dynamically. To build a dialog box, a
ftp.ii.pw.edu.pi/pub/Software/viola/violaIntro.ps.gz

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC



Welcome United States Patent and Trademark Office

‡□‡Search Results **BROWSE SEARCH IEEE XPLORE GUIDE** SUPPORT Results for "(dialog box<in>metadata) <and> (object model<in>metadata)" e-mail aprinter triendly Your search matched 1 of 1144315 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » View Session History » New Search **Modify Search** » Key (dialog box<in>metadata) <and> (object model<in>metadata) **>>** IEEE JNL IEEE Journal or ☐ Check to search only within this results set Magazine Display Format:

Citation C Citation & Abstract **IEE JNL** IEE Journal or Magazine **IEEE IEEE Conference Proceeding CNF** IEE CNF IEE Conference 1. A hybrid 2D/3D user interface for immersive object modeling **Proceeding** Coninx, K.; Van Reeth, F.; Flerackers, E.; Computer Graphics International, 1997. Proceedings IEEE IEEE Standard 23-27 June 1997 Page(s):47 - 55 STD AbstractPlus | Full Text: PDF(1464 KB) IEEE CNF

Indexed by Inspec

Help Contact Us Privacy & Security IEEE.org
© Copyright 2005 IEEE – All Rights Reserved

US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

+"Dialog box" +primitive +object

SEARCH



Feedback Report a problem Satisfaction survey

Terms used Dialog box primitive object

Found 4 of 153,034

Sort results by Display

results

relevance expanded form

Save results to a Binder ? Search Tips ☐ Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 4 of 4

Relevance scale 🔲 📟 🖬

1 Software engineering #2: JavaCHIME: Java class hierarchy inspector and method executer

Pallavi Tadepalli, H. Conrad Cunningham

April 2004 Proceedings of the 42nd annual Southeast regional conference

Additional Information: full citation, abstract, references, index terms Full text available: pdf(477.10 KB)

Java has emerged as one of the most dynamic programming languages today. During the past eight years it has become a leading choice as the programming language for an introductory course in computer science. Object-oriented programming (OOP) is often considered to be complex and difficult to grasp by both beginners and experienced procedural language programmers. Using Java in an introductory programming language serves a dual purpose; it teaches the syntax and constructs of the Java language as ...

Keywords: Java, class browser, object inspector, pedagogy

window

² VUIMS: a visual user interface management system

Jon H. Pittman, Christopher J. Kitrick

August 1990 Proceedings of the 3rd annual ACM SIGGRAPH symposium on User interface software and technology

Full text available: pdf(1.16 MB)

Additional Information: full citation, references, citings, index terms

3 Toward visual debugging: integrating algorithm animation capabilities within a sourcelevel debugger

Sougata Mukherjea, John T. Stasko

September 1994 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 1 Issue 3

Full text available: pdf(1.87 MB)

Additional Information: full citation, abstract, references, citings, index terms

Much of the recent research in software visualization has been polarized toward two opposite domains. In one domain that we call data structure and program visualization, low-level canonical views of program structures are generated automatically. These types of views, which do not require programmer input or intervention, can be useful for testing and debugging software. Often, however, their generic, low-level views are not expressive enough to convey adequately how a pro ...

Keywords: algorithm animation, debugging, programming environments, software visualization, user interfaces

⁴ A programming language basis for user interface

D. R. Olsen

March 1989 ACM SIGCHI Bulletin, Proceedings of the SIGCHI conference on Human factors in computing systems: Wings for the mind, Volume 20 Issue SI

Full text available: pdf(575.02 KB) Additional Information: full citation, abstract, references, citings, index terms

The Mickey UIMS maps the user interface style and techniques of the Apple Macintosh onto the declarative constructs of Pascal. The relationships between user interfaces and the programming language control the interface generation. This imposes some restrictions on the possible styles of user interfaces but greatly enhances the usability of the UIMS.

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player Real Player

TAHOO! SEARCH "ROSE Tutorial" primitive

Web | Images | Video | Directory | Local | News | Products

Search

Shortcuts

Advanced Search

<u>Preferences</u>

Search Results

Results 1 - 5 of about 7 for "ROSE Tutorial" primitive - 0.10 sec. (About this page

CGTalk - 3dsMax Tutorials & Tips [□]

This is a discussion forum powered by vBulletin. To find out about vBulletin, go to http://www.vbulletin.com/ Video tutorials for 3D software. Rose Tutorial ? Complete "pinscreen" tutorial: Photoshop and VRay displacement ... Need Help Modeling Gaseous Clouds. Tubecap primitive. Car Tutorial ... www.cgtalk.com/archive/index.php/f-96-p-2.html - 18k - Cached - More from this site

2. XFrog for Maya Clusea Tutorial ^由

... How to deal with Hydras and Variation can be found in the Rose Tutorial ... connect the Poly Plane as an Head Primitive to each of the Branches, this will ... www.3d-worx.de/cluseatut.html - 16k - Cached - More from this site

3. Rational Rose 2000e Using Rose J (PDF) ¹

... Variables with Primitive Types. 22 ... If you need to learn to use Rational Rose, you should run the Rational. Rose tutorial included on your product CD. ... cs.hmc.edu/gref/rational/.../docs/pdf/rose_java/Rose_java.pdf - 1076k - View as html - More from this site

4. 96-04-18: The web's next wave ^由

THE WEB'S NEXT WAVE. Motion, sound, cleaner design and. 'hypermedia' links are all part, of the Internet's incoming tide, by, K.K.CAMPBELL, Internet Columnist. The Toronto Star ... The fact that we have to "rediscover" movement shows just how primitive the World Wide Web is right now. ... www.kkc.net/toronto-star/1996/ts0418.htm - 19k - Cached - More from this site

5. Guru page: February 1 - 8, 2003 ^由

Blacksmithing and metalworking questions answered daily by the Guru and his assistants. ... hours). As I have understood, this is very primitive way of producing steel (has been in use in ... But there is also other "primitive" methods to produce steel, which I ...

www.anvilfire.com/FAQs/archives/g022003a.htm - 212k - Cached - More from this site

In order to show you the most relevant results, we have omitted some entries very similar to the ones already displayed.

If you like, you can repeat the search with the omitted results included.

Web | Images | Video | Directory | Local | News | Products Your Search: "ROSE Tutorial" primitive Search

Copyright @ 2005 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Copyright/IP Policy - Submit Your Site - Job Openings

ZAHOO SEARCH "dialog box" "object model" primitive

Web Images Video Directory Local News **Products**

Search

Shortcuts

Advanced Search

<u>Preferences</u>

Search Results

Results 1 - 10 of about 418 for "dialog box" "object model" primitive - 0.32 sec. (About this page

United States Patent Application: 0030167455 [□]

... the location on the dialog box and/or graphic screen ... model (comprised of the Object Model, the Dynamic Model, the ... such conventional prototypes have primitive user interfaces that are ...

appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PG01&...

- 250k - Cached - More from this site

2. An Overview of VIOLA ^自

... A modular object model is enforced to control complexity: to provide a relatively simple way ... composed out of primitive elements, dynamically. To build a dialog box, a script could ...

www.xcf.berkeley.edu/~wei/viola/vw/brief_html3.html - 8k - Cached - More from this site

Technical Articles: Introduction to Windows Foundation Classes for Java (WFC) 电

... the Dynamic HTML (DHTML) object model, which is a W3C ... It covers the most primitive functions of an editor, allowing ... use the New Project dialog box that appears when you ...

msdn.microsoft.com/vjsharp/productinfo/visualj/visualj6/.../introwfc - 64k - Cached - More from this site

4. Roadmap to the Visual Fortran Samples ^四

Roadmap to the Visual Fortran Samples. The Visual Fortran kit provides a number of source code sample programs (samples) that cover a variety of topics. ... use of the Component Object Model from within Visual Fortran ... Each client displays a dialog box that uses the server ... window and draw the shapes using primitive 3D graphics....

h18000.www1.hp.com/fortran/docs/vf-html/pg/pgqsmmap.htm - 61k - Cached -More from this site

5. More Basics (PDF) ^自

... The Document Object Model makes it possible to ... All String literals are primitive values. Ex: "Ben said, \" here ... plain text, not HTML. Opens a dialog box that displays ...

www.emunix.emich.edu/~evett/WebProgramming/Slides_javascript.pdf - 275k -View as html - More from this site

6. Platinum Edition Using Windows 98 - Ch 21 - Scripting with the Windows Scripting Host ^电

... describe the WSH object model. The background information will ... WshShell provides primitive user interface capabilities and ... vanilla vbOK-style dialog box that contains a concatenated ...

vanwijk.com/-= Bookz =-/Platinum Edition Using Windows 98/ch21/ch21... - 74k -Cached - More from this site

7. Viola Overview ^由

A Brief Overview of the VIOLA Engine, and its Applications. Viola is a tool for the development and support of visual interactive media applications. ... An **object model** is enforced to control complexity: to provide a relatively simple way of data ... composed out of **primitive** elements, dynamically. To build a **dialog box**, a script could ...

www.xcf.berkeley.edu/~wei/viola/violaIntro.html - 18k - <u>Cached</u> - <u>More from this</u> site

8. JavaScript/Object Model Mega Xref 电

Quick Cross-References to Microsoft and Netscape Offical JavaScript and Object Model documentation. ... access to Netscape's and Microsoft's official JavaScript and Object Model documentation. ... Method. Display HTML dialog box. Microsoft ... JS Method. Primitive value of a object ... guymal.com/techCorner/isref.shtml - 190k - Cached - More from this site

9. Programmer's Guide 19

... Figure 1-2: DataWindow .NET object model major components ... the Database Profile Setup dialog box, type EAS Demo DB ... while you have the dialog box open, click the Preview ... sybooks.sybase.com/onlinebooks/group-dwnet/dnetg0100e/dwprgnet/... - 244k - Cached - More from this site

10. http://www.cs.wichita.edu/~chang/lecture/cs655/fail2002/lecture/ch6.ppt (MICROSOFT POWERPOINT) ^由

... - The Document **Object Model** makes it possible to ... - All **primitive** values have one of the five **primitive** ... - Opens a **dialog box** and displays the parameter ...

www.cs.wichita.edu/~chang/lecture/cs655/fall2002/lecture/ch6.ppt - 84k - <u>View as</u> html - More from this site

Results Page:

1 2 3 4 5 6 7 8 9 10 Next

,	Web	<u>Images</u>	<u>Video</u>	<u>Directory</u>	Local	<u>News</u>	<u>Products</u>	
Your Search:	"dialo	g box" "o	bject mo	del" primitiv				Search

Copyright © 2005 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Copyright/IP Policy - Submit Your Site - Job Openings

Web

Results 1 - 10 of about 15 for "ROSE tutorial" primitive. (0.07 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

[PDF] Using Rational Rose J

File Format: PDF/Adobe Acrobat - View as HTML

... Rose tutorial included on your product CD. How This Manual Is Organized ...

By classic Java standards, String is a class, not a primitive data type. ...

www.cs.hmc.edu/qref/rational/DevelopmentStudioUNIX. 2000.02.10/docs/pdf/rose_java/Rose_java.pdf - Similar pages

96-04-18: The web's next wave

... The fact that we have to "rediscover" movement shows just how primitive the

... or Charlton Rose's tutorial at http://sharky.nomius.com/frames/menu.htm.

www.kkc.net/toronto-star/1996/ts0418.htm - 19k - Cached - Similar pages

CGTalk - 3dsMax Tutorials & Tips

... Laser system (PArray, Shaders); Video tutorials for 3D software; Rose Tutorial?

... Need Help Modeling Gaseous Clouds; Tubecap primitive. ...

www.cgtalk.com/archive/index.php/f-96-p-2.html - 19k - Cached - Similar pages

XFrog for Maya Clusea Tutorial

... How to deal with Hydras and Variation can be found in the **Rose Tutorial** ... We will now connect the Poly Plane as an Head **Primitive** to each of the ... www.3d-worx.de/cluseatut.html - 17k - <u>Cached</u> - <u>Similar pages</u>

[poc] Manual

File Format: Microsoft Word 2000 - View as HTML

... Primitive function and indefinite integral. ... S. Stankov, A. Amižić, B.

Žitko: Rational Rose Tutorial, Faculty of natural Sciences, Mathematics and ...

mapmf.pmfst.hr/~tdadic/ANDRINA/Eng/Shema3engBacInf.doc - Similar pages

The 'Security Digest' Archives (TM): TCP-IP Distribution List for ...

... Only the crudest and most primitive taps can be noticed by looking at DC ... being bashed at Rose's tutorial at the recent IFIP OSI conference at UBC. ... securitydigest.org/tcp-ip/archive/1992/06 - 513k - Cached - Similar pages

CandleHelp.com Forums - Candle Making, Candle Supplies, Candle ...

... Primitive Pillars, ... Floating Rose Tutorial, added Friday, April 9th: http://www.candlehelp.com/?content=floatingrose Rustic Rolled Pillars, added Thursday, April ...

www.candlehelp.com/forums/index.php?showtopic=79 - 41k - Supplemental Result - Cached - Similar pages

Links to Tutorials

... Deb's PSP, Everyday Tutorials (Curio Shelf, **Primitive** Angel, added Image ... Background Tutorial, Antique Frame Tutorial, Remembering **Rose Tutorial**, Bubble Thingy ... www.native-red.com/tutorials.htm - 90k - Supplemental Result - Cached - Similar pages

IPDFI Rational Rose 98i Using Rose J

File Format: PDF/Adobe Acrobat - View as HTML

... need to learn to use Rational Rose, you should run the Rational Rose tutorial included

on ... for use on JGL collections, Java native arrays of primitive types and ...

www.se.fh-heilbronn.de/.../Rational%20Rose/ Documentation/Rose98i_java.pdf - Supplemental Result - Similar pages

Dewberry One Stroke Painting

...'The [Picture!], Donna Primitive Kit Book Brush NIB, \$24.99, -, 1d 14h 08m. Donna couse Kit by Plaid, Donna Video. ... Rose Tutorial, Doggy Treat Canister. ... www.adobe-east.com/en/r/ 71466-DewberryOneStrokePainting.html - 27k - Supplemental Result - Cached - Similar pages

Google >
Result Page: 1 2 Next

Free! Google Desktop Search: Search your own computer. Download now.

Find: ☑ emails - ᠍files - & chats - ⓐ web history - ♪ media - ₺ PDF

"ROSE tutorial" primitive Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google